



GLASS BEAD GUN WITH ATOMIZING AIR

This gun is equipped with a hardened steel closing piston. It can be fed with glass beads either by gravity or from a pressurized tank.

CONNECTIONS:

Opening air	1/4 "
Atomizing air	3/8 "
Ø passage of beads	11.5 mm

BEAD NOZZLE:

Ø 4 to 10 mm

AIR NOZZLE:

Ø 0.8 to 2.5 mm

DIFFUSER

The gun is equipped with an adjustable (orientation and width) diffuser to spread the glass beads equally over a wide line up to 30 cm. It has a stiffening plate in carbide to increase its lifetime. This can be easily replaced when it wears out. The diffuser can be equipped with a glass bead sensor to avoid having a line without glass beads. This sensor is connected to an electronic device, which manages the gun(s) in action and the alarms (on request).

RECOMMENDATIONS


- Block the suction tube when feeding by pressurized tank
- For air connection, use rather a Ø 8 mm hose
- Use an opening air pressure of 6 bar (87 psi)


SPECIFICATIONS

	WITHOUT DIFFUSER	WITH DIFFUSER
Dimensions:	230 x 90 mm	340 x 90 mm
Weight:	1.7 kg	2.6 kg

Edwin Kamber SA reserves the right to change at any time this information







*Indiquer N° ou Ø
 *Indicate no. or Ø
 *Indicar n.º o Ø
 *Nr. oder Ø angeben

7515A

9515AL

